

II. CLAIM AMENDMENTS

1. (Currently Amended) A method for transmitting information between applications executed in a first and a second data transmission device in a data transmission system, the method comprising:

using a data transmission protocol in the information transmission; performing one or more protocol conversions in the protocol stack for the information to be transmitted, said protocol stack comprising at least an application layer and a physical layer; and transmitting messages between the first data transmission device and the second data transmission device, the transmitting comprising producing messages in the application layer from the information to be transmitted, said messages being different from said information being transmitted.

2. (Previously Presented) The method according to claim 1, comprising transmitting at least two types of components in the messages, wherein the messages contain information on the type of the component transmitted in the message.

3. (Previously Presented) The method according to claim 2, comprising the messages at least with a header field, on the basis of which the type of the message is determined.

4. (Previously Presented) The method according to claim 3, comprising dividing said header field at least into first and second different parts, wherein the first part is used in all messages and the second part is used, if necessary,

in the transmission of the type-specific information of the message transmitted in the message.

5. (Previously Presented) The method according to claim 3, comprising providing the messages also with a data field to transmit information produced in the application.

6. (Previously Presented) The method according to claim 1, comprising using in the protocol stack at least a session layer between the application layer and the physical layer, in which the protocol used therein contains data frames, containing at least a header field and a data field, wherein the method further comprises transferring messages produced in the application layer to the data field of the data frames of the session layer.

7. (Previously Presented) The method according to claim 1, comprising using the WAP system at least partly as the data transmission system.

8. (Previously Presented) The method according to claim 1, comprising using the Internet data transmission network at least partly as the data transmission system.

9. (Currently Amended) A data transmission system comprising means for transmitting information by means of a data transmission protocol between applications executed in a first and second data transmission device in a data transmission system, means for performing one or more protocol conversions for the information to be transmitted in the protocol stack, the protocol stack comprising at

least an application layer and a physical layer, + and means in the application layer for producing messages from the information to be transmitted, said messages being different from said information being transmitted.

10. (Previously Presented) The data transmission system according to claim 9, **wherein** at least two types of components are arranged to be transmitted in the messages, and wherein the components are supplemented with information on the type of the message transmitted in the message.

11. (Previously Presented) The data transmission system according to claim 10, **wherein** the messages are provided at least with a header field, on the basis of which the type of the message is arranged to be determined.

12. (Previously Presented) The data transmission system according to claim 11, **wherein** said header field is divided at least into first and second parts, wherein the first part is arranged to be used in all messages and the second part is arranged to be used, if necessary, in the transmission of the type-specific information of the message transmitted in the message.

13. (Previously Presented) The data transmission system according to claim 11, **wherein** the messages are also provided with a data field to transmit information produced in the application.

14. (Previously Presented) The data transmission system according to claim 9, **wherein** in the protocol stack at least a session layer is used between the application layer and the physical layer, in which the protocol used therein contains data frames, containing at least a header field and a data field, wherein the messages produced in the application layer are arranged to be transferred to the data field of the data frames of the session layer.

15. (Previously Presented) The data transmission system according to claim 9, **wherein** the data transmission system comprises at least the WAP system.

16. (Previously Presented) The data transmission system according to claim 9, **wherein** the data transmission system comprises at least the Internet data transmission network.

17. (Currently Amended) A terminal comprising at least means for executing applications; means for transmitting information produced in the application to a data transmission system for transmission of the information by means of a data transmission protocol to an application executed in a second data transmission device; means for performing one or more protocol conversions for the information to be transmitted in a protocol stack comprising at least an application layer and a physical layer, + and means in the application layer for producing messages from the information to be transmitted, said messages being different from said information being transmitted.